

ADATH YESHURUN CEMETERY ASSOCIATION
5605 FRANCE AVENUE SOUTH, MINNEAPOLIS, MN 55410

Mailing Address: 3007 Atwood Drive, Minnetonka MN 55305-3752

Cemetery: 952-922-1072 Fax: 952-935-0953 Email dkantar@dankantar.com Web: www.adathyeshurun.com
 Cemetery Manager: Dan Kantar Cell 612-990-2333 Cemetery Caretaker: Kerry Gatena Cell 612-296-2686

MEMORIAL AUTHORIZATION FORM - 2023

The following described work will be at the grave of _____.

On _____ 20 ____ the undersigned owners of graves located in Section _____ Lot _____ Block _____
 Grave _____ has contracted with ADATH YESHURUN CEMETERY ASSOCIATION to erect foundation(s) and/or install memorials
 located on said lot in Adath Yeshurun Cemetery.

Adath Yeshurun Cemetery Association (the Association) requires that all memorials will have a foundation. This foundation will be constructed (see page 2) and will be required to meet the present rules and regulations of the Association governing the erection of monuments and markers. **The Association must approve all memorials in advance.** Please use the Memorial Description forms (page 2) attached and submit for approval.

All applications can be faxed to 952-935-0953 or mailed to the address above. Upon approval, the Monument provider or family will be invoiced for all services and a permit number will be noted on the invoice.

The Monument provider will be responsible to set all upright monuments on foundations provided by the cemetery. The cemetery will set all flat markers and flower boxes monument provider will set all monuments on foundation installed by cemetery. Cement borders matching spouse's markers are permitted with cemetery approval. New markers with cement borders are not permitted. All memorials will remain the owner's property. The Association is not responsible for damage to the memorial due to acts of God, improper installation, or vandalism. Contact your insurance agent for coverage, if applicable.

Effective January 1, 2001, Adath Yeshurun Cemetery will straighten at no charge (to the lot owner) any memorial that has been installed by the Cemetery. Monuments or markers installed by monument companies are excluded from policy.

Veiling fee is provided as a service to monument providers after setting. Please call cemetery to cover monument.

**ALL LOT FEES, PERPETUAL LAWN CARE FEES, GATE FEES, FOUNDATION FEES AND
 PERPETUAL FLOWER CARE BOND MUST BE PAID IN FULL PRIOR TO THE COMMENCEMENT OF ANY WORK.**

Adath Cemetery will install foundations or set/re-set monuments according to the fees below.

DESCRIPTION	Quantity	Price	Total
Perpetual Flowers Care Bond (required with any new flower Box)		\$1850.00	
Inspection Gate Fee for Monument, Flower Box, Marker (Per Each)		\$ 25.00	
Veiling fee (optional) memorials not sold by the cemetery (Per Each)		\$25.00	
Items below are taxable			
Foundation flower box 3 & 4 Foot (add \$250 for 5-foot flower box)		\$650.00	
Lawn level marker 1 x 2 with class 5 foundation		\$400.00	
Lawn level marker 1-8 x 2-8 oversized or double with class 5 foundation		\$450.00	
Single stand up & Slant monuments with bases, includes Pre-cast cement foundation & setting.		\$500.00	
Double upright monuments, benches with granite foundations, double slant monuments. Pre-cast cement foundation includes with upright Double		\$ 650.00	
If Adath Yeshurun Cemetery is billing customer direct 7.525% MN Sales tax + Hennepin County Sales Tax will be added to invoice. Vendors tax form must be on file.		Total Due	

Contact Info	Name: _____		
	Address: _____		
	City: _____	State: _____	Zip: _____
	Home Phone: () _____		Work Phone: () _____
Owner's Signature: _____		Date: _____	

MEMORIAL AUTHORIZATION FORM PAGE 2

MONUMENT FOR _____

Please describe the details of the memorial below. Please sketch a picture in the space provided.

DESCRIPTION	SKETCH
Type of stone:	<div style="border: 1px solid black; height: 200px; width: 100%;"></div>
Color:	
Height of memorial:	
Width of memorial:	
Size of Memorial Base:	
Dimensions of Flower Box	
Dimensions of Marker	
<p><i>Please use one page per monument application.</i></p> <p><i>Thank you for your cooperation</i></p>	<p>DRAWING REQUIRED TO BE SENT WITH MONUMENT FORM</p>

Foundations: The Association requires a poured concrete (were necessary in the cemetery) No dry mix (bagged cement) foundations. Pre-cast cement foundation are permitted with a minimum of 2 feet of tamped class 5 base under foundation. Flower boxes will be set on an optional granite foundation with proper holes for drainage. Cement pre-cast foundation is included in setting fee. All markers must be set on no less than 12 inches of tamped class 5 gravel.

Flower Box requirements: 3 ft flower box single grave, 4 ft flower box double grave, 5-foot flower box triple grave. Perpetual care star required on all flower boxes or bench flower combinations located on the top of box or base in lower right corner.

<p>To the best of my knowledge all the information contained on this application is correct. By signing below, I acknowledge memorial regulations attached to this form.</p>	
<p>_____ X _____ Installing Company Signature Date</p>	<p>Proposed Delivery Date:</p>

FOR OFFICE USE ONLY		
Proposed Unveiling Date:	Required Foundation Date:	Date Received By Cemetery:
Memorial Set Date	Foundation Installation Date	Permit Number Q-

MEMORIAL PERMIT AUTHORIZATION For Office Use Only	
Adath Yeshurun Cemetery Approval:	Date:

Memorial Regulations are attached to this form

**Flower Boxes, markers can be delivered to the cemetery and be placed near the chapel show area.
Please contact Kerry the cemetery caretaker prior to the delivery and setting of upright monuments**

Memorial Regulations Updated 11-1-2011

Effective January 1, 2012, the following guidelines, amendments, changes or reiterations to and of the Adath Yeshurun Cemetery Association's standards for memorials and monuments are in effect:

The Association must approve all memorials in advance. The intent of this requirement is to protect the visual qualities of the monumental landscape of the cemetery. New memorial monuments in capturing the spirit of the monumental landscape do not necessarily need to copy existing monuments. They can be creative in modifying a style and still blend in with the older monuments in the cemetery through adaptations of the historical forms, while maintaining essential proportions. Design innovations should be within limits that respect the overall monumental landscape.

The design of monuments, head stones, markers, and planters or the inscriptions thereon contrary to the Jewish religion will not be permitted in any sections of the cemetery.

General Definitions:

The term (**Memorials**) is defined as any flat markers, flower boxes, benches, monument single or double for the purpose of identification or in memory of the interred. All memorials must be constructed from granite only. No above grade memorial structures or objects shall be made of concrete or similar material. The only exception to the cement rule is cemetery approved flower planter's boxes in the monument areas only.

Bronze attachments & vases

The cemetery prohibits the use of any vase constructed of bronze, granite or any other material to be placed on a monument base, foundation or in the ground. No bronze letters or attachments may be applied to a memorial except if it is furnished by the Veterans Administration and have prior cemetery approval.

Memorials Colors & Shape

New memorials need to fit into the color scheme & shape of the existing monumental landscape in all sections of the cemetery.

The cemetery irrigates with city of Edina water. Water spots may be more noticeable on dark colored granite. The cemetery can't be responsible for discolor or staining of a memorial due to irrigation or rain. Because of water spotting and cemetery maintenance the cemetery prohibits any marker or memorial constructed from **Jet Black granite** (origin India/China or any country of origin). The only exception to this rule would be if matching an existing marker or monument currently in the cemetery and requires prior cemetery approval.

Coloring of Letters

Coloring of Letters is the artificial coloring, painting, enameling, lacquering, or bronzing of letters is prohibited. Black or gray lithochrome pigment may be used in highlighting letters or symbols. Light water seal (white or clear) may be used on frosted panels or letter faces.

Flat Markers Lawn Level Set

The Adath Cemetery requires that all graves be marked with the minimum of a 2 foot x 1 foot x 4 inch thick flat granite marker. The exception to the rule is in the monument area where deceased information would be placed on the face of a monument.

Flat markers are permitted in all sections in the cemetery. **(One) marker is permitted per grave.** If a second right of interment of cremated remains are placed in an existing single grave which is currently marked, one marker will have to be removed and replaced with a marker with 2 names on it. The old marker will be destroyed or buried in the grave site.

The minimum size of a flat marker lawn set on a single grave is 2-0 x 1-0 x 0-4 (24" x 12" x 4"). Cement borders are not permitted; the only exception to this rule would be if matching an existing marker currently in the cemetery and requires prior cemetery approval.

The maximum size of a marker on a single grave will not exceed 2-8 x 1-8 x 0-4 (32" x 20" x 4"). This marker can accommodate 1 name single grave, or 2 name single grave second right interments.

Companion markers are permitted on a double grave not to exceed 3-6 x 1-2 x 0-4 (42" x 14" x 4") one companion marker is permitted per double grave.

Veteran's Bronze markers 2 foot x 1 foot must be mounted on a Granite foundations with a 2 inch border or cement foundation with a recessed area for the marker. Granite & cement foundations are not included in the setting fee. Veteran's bronze markers may be ground set on monument lots in combination with a monument or Veterans bronze markers can be mounted to the monument placed front or back. Granite or recessed foundations for VA markers is not included in setting fee and will be billed in addition to setting fee.

Granite Flower Box requirements:

The term flower **box** is a rectangular shaped piece of granite with a hole cut in the center to accommodate the planting of flowers. The flower box will be inscribed on one side (front) only and can contain family name / or deceased name information. Symbols may be inscribed on the top and front of the box only. No additional letter or symbols are permitted on sides or back of the flower box. Maximum height of any flower box is 8 inches tall (thick). Solid flower boxes (no Hole cut for flowers) are permitted and must follow size requirements below. Any flower box that deviates from sizes, shapes, below must have prior cemetery approval.

Single graves: Single flower box 36 wide 22 inches front to back 8 inches tall. Single 3 foot flower box isn't permitted to be placed or centered on 2 (two) graves).

Double graves: Double foot flower box 48 wide 22 inches front to back 8 inches tall will be centered on 2 graves.

3 or 4 graves: require one 5 foot flower box. 5 foot box will be centered in the middle of the 3 or 4 graves. Any flower wider than 5 foot needs prior cemetery approval.

Effective April 1, 2002, **Perpetual Flowers Care** is required on all new flower boxes set in the cemetery. This fee must be paid in advance before the flower box is set. At the time of need of the second deceased or (previously set flower boxes) where a single or double flower box has been set that currently doesn't have perpetual flower care, the cemetery will bill for perpetual flower care. We apologize if this is an inconvenience but we have experienced a high number of unplanted or abandoned boxes. If you have any questions regarding Perpetual Flower Care program please contact the cemetery.


The cemetery requires that a perpetual care star (3 ¾ inches) be placed on the top of the box located in the lower right corner of a flower box. This cut star will replace the blue and white sticker placed on the box to note (perpetual flower care)



(3 ¾ inches)

Cement Flower Box in Monument area only:

The flower box must be constructed of fiberglass reinforced cement 14-1/2" x 29" x 6" and will be installed approximately 3 inches above ground level. This flower box may be purchased from & installed by the cemetery and is available in 4 colors. Any planter other than the one described will be removed. The placement of the flower box will be in front of the monument.



Monuments Requirement:

All monuments are to be constructed of 2 components top piece of granite (the die) containing deceased information and the base. The cemetery requires a base be used on all monuments. The minimum height of the base must be equivalent to the thickness of the die.

Single Monuments shall have a maximum face width of 30 inches a minimum of 6 inches thick and a base not to exceed 38 inches wide. Height and shape color to conform to existing monumental landscape in all sections of the cemetery.

Double Monuments shall have a maximum face width of 60 inches minimum of 8 inches thick and a base not to exceed 72 inches. Height and shape color to conform to existing monumental landscape in all sections of the cemetery.

Slant Monuments single or double: single grave slant 24 wide 16 inches tall, double grave slant 36 wide 16 inches tall. All slants are required to have minimum 6 inch height granite base and not exceed 10 in height. Maximum base 6 inches in width of the slant monument.

Monuments only, when monuments are set (with monument setting company equipment or cemetery approved vendor) on a foundation provided by the cemetery the cemetery will credit or rebate the monument company \$50.00 per monument. This rebate doesn't apply to flower boxes or markers.

Monument trucks like vault trucks are restricted from driving on the grass without ply-wood. Monument Companies will be responsible for any damage.